

*INDEX MAPS.*

**T. 10 N, R. 4 E. 2<sup>nd</sup> Mer.**

6	6	5	5	5	5	4
8	6	5	4	3	2	1
	29	29	24	20	16	12
8	7	29	8	10	11	12
	28	28	23	19	15	11
7	18	28	17	16	15	14
	27	27	22	18	14	10
7	19	27	20	21	22	23
	26	26	22	17	13	9
7	30	26	29	21	27	26
	25	25	21	17	13	9
6	31	25	32	21	34	35
	22	22	21	1	1	1

**T. 11 N, R. 4 E. 2<sup>nd</sup> Mer.**

36	36	36	35	35	35	35
38	6	60	5	54	4	50
	60	59	54	50	56	46
38	7	59	8	54	9	50
	59	58	53	49	45	41
38	18	58	17	53	16	49
	58	57	53	49	44	40
37	19	57	20	52	21	48
	57	56	52	48	44	40
37	30	56	29	51	28	47
	56	55	51	47	43	39
37	31	55	32	51	33	47
	32	32	32	32	31	31

(F) The figures on the lines refer to the page.

Township N<sup>o</sup> 10 North, Range R<sup>o</sup> 14 East 2<sup>nd</sup> Mer. Indiana

South Boundary

- West On S. boundary of Sec. 36, T10 N. R14 E.  
 24.13 a brook 14 lbs. wide Course S.E.  
 40.00 Set the q. Sec. post, from which  
     a Sugar 12 in. dia. bran 151 ft 20 lbs. dist. of  
     a Hickory 14 " " N60 E20 "  
 80.00 Set a post Cor. to Sec. 35 & 36, T10 N. R14 E, from which  
     a Beech 7 in. dia. bran 179 ft 24 lbs. dist. of  
     a Do 8 " " 189 E35 "  
 Over broken land, timber Beech, Oak, Hickory etc.
- 

- West On S. boundary of Sec. 35, T10 N. R14 E  
 40.00 Set the q. Sec. post, from which  
     a Beech 12 in. dia. bran 175 ft 29 lbs. dist. of  
     a Do 7 " " N46 E11 25 "  
 80.00 Set a post Cor. to Sec. 34 & 35, T10 N. R14 E, from which  
     a Beech 20 in. dia. bran 153 E24 lbs. dist. of  
     a Poplar 40 " " 182 ft 37 "  
 Over broken land, timber Oak, Beech etc.
- 

- West On S. boundary of Sec. 34, T10 N. R14 E.  
 40.00 Set the q. Sec. post, from which  
     a Sugar 12 in. dia. bran 179 ft 6 lbs. dist. of  
     a Beech 6 " " N28 W14 "  
 80.00 Set a post Cor. to Sec. 33 & 34, T10 N. R14 E, from which  
     a Dogwood 6 in. dia. bran 173 E11 lbs. dist. of  
     an Elm 17 " " N46 W9 "  
 Over broken land, timber Oak, Beech etc.
- 

- West On S. boundary of Sec. 33, T10 N. R14 E.  
 7.00 a creek 20 lbs. wide Course S.W.  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 24 in. dia. bran 150 E38 lbs. dist. of  
     a Beech 14 " " N53 W32 "  
 80.00 Set a post Cor. to Sec. 32 & 33, T10 N. R14 E, from which  
     a Beech 13 in. dia. bran 152 E13 lbs. dist. of

2

W.M. P. & C. O. D. Mer. Indiana  
a Maple 8 in. dia. bran. N 26° 47' 21" Ls. dist. of  
Over very broken land, timber Oak, Beech etc.

Nest On S. boundary of Sec. 32, W.M. P. & C. O. D.  
40.00 Set the q. Sec. post, from which  
a Hickory 12 in. dia. bran. N 49° 04' Ls. dist. of  
a W. Oak 6 " " S 34° 47' 10" "  
64.37 a Creek 50 ft. wide Course N.W.  
80.00 Set a post Cor. to Sec. 31 of 32, W.M. P. & C. O. D., from which  
a W. Oak 24 in. dia. bran. N 69° 06' Ls. dist. of  
a Dogwood 6 " " S 77° 47' 16" "  
Over very broken land, timber Oak, Hickory etc.

Nest On S. boundary of Sec. 31, W.M. P. & C. O. D.  
40.00 Set the q. Sec. post, from which  
an Ironwood 7 in. dia. bran. N 88° 01' 15" Ls. dist. of  
a Beech 12 " " N 83° 47' 9" "  
73.13 intersected the Range line, between Range  
3 & 4 East, Town 9 of 10 North  
Over very broken land, timber Oak, Hickory etc.

East Boundary var. 6. 30. 'C.  
North On E. boundary of Sec. 36, W.M. P. & C. O. D.  
1. 50 a Beech 12 in. dia. in the line  
37. 87 a Brook 6 ft. wide Course East  
40.00 Set the q. Sec. post, from which  
a Beech 13 in. dia. bran. N 21° 47' 17" Ls. dist. of  
a Do 14 " " S 63° 8' 24" "  
80.00 Set a post Cor. to Sec. 35 of 36, from which  
a Beech 8 in. dia. bran. N 53° 8' 23" Ls. dist. of  
a Do 20 " " N 45° 47' 20" "  
Over rolling land, timber Oak, Beech etc.

North On E. boundary of Sec. 35, W.M. P. & C. O. D.  
6.50 a Hickory 14 in. dia. in the line  
30.77 a Brook 4 ft. wide Course E.

510 N. 124 E. I.: Mer. Indiana

- 40.00 Set the q. Sec. post (in a brook 15 lbs. wide  
Course S. E.) from which  
a Basswood 10 in. dia. bran 130 ft. 35 lbs. dist. of  
a Beech 8 " " 140 ft. 44 " "  
55.50 a Brook 8 lbs. wide Course East  
73.50 a Poplar 30 in. dia. in the line  
80.00 Set a post Cor. to Sec. 94 & 25, 510 N. 124 E., from  
which a Beech 12 in. dia. bran 112 ft. 40 lbs. dist. of  
a B. Oak 30 " " 170 ft. " .  
(Description Omitted.)

North On E. boundary of Sec. 24, 510 N. 124 E.

- 18.74 a Sugar 12 in. dia.  
22.00 at Brook 10 lbs. wide Course East  
40.00 Set the q. Sec. post. from which  
an Ash 4 in. dia. bran 116 ft. 16 lbs. dist. of  
a Do 7 " " 169 ft. 18 " "  
59.95 a B. Oak 24 " in the line  
70.62 a Branch 2 lbs. wide Course E.  
80.00 Set a post Cor. to Sec. 13 & 24, 510 N. 124 E., from which  
a Hickory 13 in. dia. bran 130 ft. 89 lbs. dist. of  
a Do 8 " " 122 ft. 9 " "  
Over rolling land, timber Beech, Oak, Hickory etc.

North On E. boundary of Sec. 13, 510 N. 124 E.

- 20.50 a Brook 3 lbs. wide Course N. E.  
40.00 Set the q. Sec. post, from which  
a W. Oak 14 in. dia. bran 120 ft. 17 lbs. dist. of  
a Beech 12 " " 130 ft. 17 " "  
45.74 a Hickory 14 " in the line  
75.59 a Brook 4 lbs. wide Course East  
80.00 Set a post Cor. to Sec. 12 & 13, from which  
a Dogwood 5 in. dia. bran 150 ft. 87 lbs. dist. of  
a Beech 6 " " 117 ft. 11 " "  
Over broken land, timber Oak, Beech, Hickory etc.

4

W.M. P.C. & C. I. Mar. Indiana

North On E. boundary of Sec. 13, T. 10 N., R. 4 E.  
15.75 a Beech 20 in. dia. in the line  
19.75 a Creek 50 ft. wide Course East  
21.18 Same 50 ft. " " East  
40.00 Set the gr. Sec. post, from which  
a Beech 7 in. dia. bran. 124 ft. 10 in. dist. of  
a Do 6 " " 158 E 13 " "  
50.18 an Ash 30 "  
80.00 Set a post Cor. to Sec. 1, 12, T. 10 N., R. 4 E, from which  
a Beech 8 in. dia. bran. 15 ft. 16 in. dist. of  
a Lynn 20 " " South 33 "  
Over good farming land, timber Oak, Beech  
Ash &c. standing. At price.

---

North On E. boundary of Sec. 1, T. 10 N., R. 4 E  
15.12 a P. Walnut 36 in. dia.  
40.00 Set the gr. Sec. post, from which  
a Beech 20 in. dia. bran. 124 ft. 10 in. dist. of  
a Do 20 " " 124 W 23 " "  
82.50 Set a post Cor. to Township N. 10 of N. North  
Range R. 4 E. 5 East, from which  
a Hickory 30 in. dia. bran. 130 ft. 24 in. dist. of  
a Beech 21 " " 148 E 26 " "  
Over rich land, timber Poplar, Beech, Walnut  
Sugar &c. standing. At price. June 18<sup>th</sup> 1819

---

North Boundary. var. 5. 15' E

West On the S. boundary of Sec. 36, T. 10 N., R. 4 E.  
13.99 a Hickory 20 in. dia. in the line  
40.00 Set two gr. Sec. post, from which  
a Beech 14 in. dia. bran. 124 E 7 ft. 10 in. dist. of  
an Oak 21 " " 114 W 21 " "  
68.96 a Poplar 30 "  
80.00 Set a post Cor. to Sec. 35 & 36, T. 10 N., R. 4 E, from which  
a Beech 20 in. dia. bran. 147 E 10 ft. 10 in. dist. of  
a Do 8 " " 126 W 42 " .

W.M. R.R. E. I., Mer. Indiana

Level land good for farming, timber Beech,  
Sugar, Ash &c, underg<sup>to</sup> Spice &c.

- West On S. boundary of Sec. 35, M.M. R.R. E.  
34.00 a Beech 70 m. dia.  
38.00 a Creek 40 ft. wide Course South  
40.00 Set the q. Sec. post, from which  
a Walnut 20 m. dia. bran N35°W18 ft. dist. of  
a Beech 12 " " " N30°W26 " "  
55.00 a Beech 30 " "  
80.00 Set a post Cor. to Sec. 34 & 35, M.M. R.R. E, from which  
a Black Ash 18 m. dia. bran N28°E24 ft. dist. of  
a Do 16 " " " S71°W15 " "  
Land timber &c. same as on the last mile

- West On S. boundary of Sec. 34, M.M. R.R. E.  
23.92 a Hickory 18 m. dia. in the line  
40.00 Set the q. Sec. post, from which  
a Beech 24 m. dia. bran S19°W19 ft. dist. of  
a Do 6 " " " N4°W18 " "  
40.50 a Branch 8 ft. wide Course S. W.  
67.00 a Creek 30 ft. " " " S. W.  
74.00 a Do 40 ft. " " " South  
80.00 Set a post cor. to Sec. 33 & 34, M.M. R.R. E, from which  
a Beech 24 m. dia. bran N40°E24 ft. dist. of  
a Do 8 " " " S26°W18 " "  
Level rich land, timber Beech, Walnut, Poplar,  
Sugar &c. underg<sup>to</sup> Spice, pawpaw &c.

- West On S. boundary of Sec. 33, M.M. R.R. E.  
5.10 an Elm 30 m. dia.  
38.00 a Branch 4 ft. wide Course N. E.  
40.00 Set the q. Sec. post, from which  
a Beech 10 m. dia. bran N47°W10 ft. dist. of  
a Do 6 " " " S25°W15 " "  
55.00 a Branch 4 ft. wide Course North

*Mt. R. 4 E. I. Mer. Indiana*

76.15 a Branch 10 lbs. wide Course N.E.  
 78.00 a Sugar 18 in. dia.  
 80.00 Set a post Cor. to Sec. 32 & 33, Mt. R. 4 E. from which  
     a Beech 18 in. dia. bran N51E 23 lbs. dist. of  
     a Do 16 "     "     N49W12"     "  
     Broken land 2<sup>nd</sup> rate, timber, Beech, Sugar,  
     Ash &c. under <sup>to</sup> Spruce &c.

Nest On S. boundary of Sec. 32, Mt. R. 4 E.  
 10.24 a Beech 24 m. dia.  
 40.00 Set the gr. Sec. post, from which  
     a Beech 6 in. dia. bran N42E 12 lbs. dist. of  
     a Do 12 "     "     N56W12"     "  
 50.84 an Oak 30"     " in the line  
 80.00 Set a post Cor. to Sec. 31 & 32, Mt. R. 4 E. from which  
     a Beech 6 in. dia. bran N24W8 lbs. dist. of  
     a Do 12 "     "     N45E5"     ".  
 Land timbered same as on the last mile  
 June 28<sup>th</sup>, 1879

Nest On S. boundary of Sec. 31, Mt. R. 4 E.  
 40.00 Set the gr. Sec. post, from which  
     a Beech 18 in. dia. bran N80W37 lbs. dist. of  
     a Do 10 "     "     N25W32"     "  
 69.70 Intersected the Cor. of Town 10<sup>th</sup> N. North  
     Ranges 3<sup>rd</sup> 4 East - Set a post, from which  
     a Beech 18 in. dia. bran N61W7 lbs. dist. of  
     a Gum 20"     "     N38E14"     "  
     Broken land, timber Beech, Ash, Sugar  
     Poplars &c. under <sup>to</sup> Spruce &c. good Soil.

Nest Boundary var. 6.45° E.  
 North On E. boundary of Sec. 36, Mt. R. 2 3 E.  
 4.50 a Creek 5 lbs. wide Course S. W.  
 8.68 a Lycamore 24 in. dia.  
 40.00 Set the gr. Sec. post, from which

10 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana

- a Beech 12 in. dia. bran 55 ft 13 lbs. dist. of  
a Do 6 " " N 26 E 6 " .
- 44.38 a W. Oak 48 "
- 80.00 Let a post Cor. to Sec. 25 & 36, 10 N. R. 3 E., from which  
a Beech 7 in. dia. bran 435 ft 5 lbs. dist. of  
a Dogwood 7 " " S 24 E 10 " .
- Over broken land, timber Oak, Hickory &c.
- 

- North On E. boundary of Sec. 25, 10 N. R. 3 E.
- 28.00 a Creek with wide course S. W.
- 40.00 Let the gr. Sec. post, from which  
a Hornbeam 12 in. dia. bran 13 ft 14 lbs. dist. of  
a Do 6 " " N 67 W 12 " .
- 54.80 a Brook 15 lbs. wide course S. E.
- 67.50 Same 15 " " S. W.
- 80.00 Let a post Cor. to Sec. 24 & 25, 10 N. R. 3 E., from which  
a B. Oak 18 in. dia. bran 410 ft 35 lbs. dist. of  
a Hickory 10 " " N 58 W 16 " .
- Over broken land, timber Oak, Hickory &c.
- 

- North On E. boundary of Sec. 24, 10 N. R. 3 E.
- 28.86 a B. Elm 20 in. dia.
- 40.00 Let the gr. Sec. post, from which  
an Ironwood 10 in. dia. bran 14 ft 14 lbs. dist. of  
a Sugar 6 " " J 15 W 15 " .
- 68.50 a Beech 14 " .
- 80.00 Let a post Cor. to Sec. 13 & 24, 10 N. R. 3 E., from which  
a Poplar 14 in. dia. bran 140 ft 4 lbs. dist. of  
a Do 10 " " N 57 E 5 " .
- Over broken land, timber Oak, Hickory &c. undg. briars.
- 

- North On E. boundary of Sec. 13, 10 N. R. 3 E.
- 24.22 a Spanish Oak 36 in. dia.
- 40.00 Let the gr. Sec. post, from which  
a Poplar 40 in. dia. bran 135 ft 9 lbs. dist. of  
a Dogwood 6 " " N 60 W 12 " .

Twp N - Rge E. D<sup>o</sup> Mer. Indiana

40.52 a Beech 14 in. dia. in the line  
 80.00 At a post Cor. to Sec. 12 & 13 Twp N. Rge E., from which  
     a Beech 8 in. dia. bran N 23 E 21<sup>o</sup> dia. of  
     a Do 10 "     "     " N 37 W 18 1/2<sup>o</sup> " "  
 Over broken land, timber Oak &c. underg. briar

North On E. boundary of Sec. 12, Twp N. Rge E.  
 40.00 At the q. Sec. post, from which  
     a Sugar 12 in. dia. bran N 57 W 18 1/2<sup>o</sup> dia. of  
     a Do 8 "     "     " S 83 E 24 " "  
 57.09 a Beech 14 " "  
 80.00 At a post Cor. to Sec. 16 & 17, Twp N. Rge E., from which  
     a Maple 14 in. dia. bran N 7 E 19 1/2<sup>o</sup> dia. of  
     a Do 10 "     "     " N 7 W 18 " "  
 Over broken land, timber Oak, Beech &c.

North On E. boundary of Sec. 17, Twp N. Rge E.  
 29.50 a Beech 14 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
     a Gum 30 in. dia. bran N 44 E 7 1/2<sup>o</sup> dia. of  
     a Do 14 "     "     " S 85 W 11 " "  
 80.54 At a post Cor. to Township N. 10<sup>th</sup> M. North,  
 Range N. 3d & E. from which  
     a Beech 18 in. dia. bran N 61 W 7 1/2<sup>o</sup> dia. of  
     a Gum 20 "     "     " N 38 E 11 " "  
 Over broken land, timber Oak, Beech &c.  
 underg. Briar &c. June 21<sup>st</sup> 1819  
 Surveyed by John McDonald, D. S.

Subdivision. var. 6. 04' C.

North Between Sec. 35 & 36, Twp N. Rge E.  
 39.15 a Chestnut Oak tree 20 in. dia.  
 40.00 At the q. Sec. post, from which  
     a Chestnut Oak 24 in. dia. bran N 78 E 30 1/2<sup>o</sup> dia. of  
     a Dogwood 4 "     "     " S 36 W 15 " "  
 60.13 a Beech tree 14 in. dia.

*10 N. R. & E. I.<sup>rd</sup>, Mer. Indiana*

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
an Oak 24 in. dia. bran N 55° E 3 lks. dist. of  
a Beech 8 " " " S 77° W 17 " "  
This mile hilly 3<sup>rd</sup> rate, timber Oak of  
different sorts, under Ash, Basswood &c

*East On Rand<sup>m</sup>. between Sec. 25 & 36, 10 N. R. 4 E.*

40.00 Set temply. of Sec. post,

80.00 Intersected the E. boundary at the post  
This mile hilly 3<sup>rd</sup> rate land, timber Oak, basswood  
and Hickory, under Spruce &c

*West Corrected between Sec. 25 & 36, 10 N. R. 4 E.*

6.76 an Oak tree 40 in. dia.

40.00 Set of Sec. post at average dist. from which  
a Beech 9 in. dia. bran N 30° E 3 1/2 lks. dist. of  
a Poplar 20 " " " N 46° W 25 " "

80.00 to Section Corner.

*North Between Sec. 25 & 26, 10 N. R. 4 E.*

8.00 a W. Oak 20 in. dia.

40.00 Set thg. Sec. post, from which  
an Oak 48 in. dia. bran N 45° E 5 lks. dist. of  
a Beech 24 " " " S 30° W 33 " "

43.75 a stream 10 lks. wide comes East

51.00 a Beech 20 in. dia.

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
a Beech 10 in. dia. bran N 53° E 1 1/2 lks. dist. of  
an Ash 18 " " " N 11° W 7 " "

This mile broken 3<sup>rd</sup> rate, timber Beech,  
Oak & Poplar &c, green briars under

*East On Rand<sup>m</sup>. between Sec. 24 & 25, 10 N. R. 4 E.*

40.00 Set temply. of Sec. post

80.00 Intersected the E. boundary 9 1/2 lks. N. of post  
This mile broken 3<sup>rd</sup> rate, timber Beech, Oak &

W.M. R.R.C. I. Mer. Indiana

Hickory &c. under Spine &c.

---

West Corrected between Sec. 24 & 25, W.M. R.R.C. E.

13.50 a Hickory 15 in. dia.

40.12<sup>1/2</sup> temp. gr. Sec. post at average dist. from which  
an Oak 48 in. dia. bran N 23° E 15 lvs. dist. of  
a Beech 9" " " 172<sup>1/2</sup> " "

50.32 a Beech 18 in. dia.

80.25 to Sec. Corner.

---

North Between Sec. 23 & 24, W.M. R.R.C. E.

8.90 a P. Oak 24 in. dia.

14.00 a Brook 10 lvs. wide Course E.

40.00 At the gr. Sec. post, from which  
a \_\_\_\_\_ in. dia. bran N 83° W 8 lvs. dist. of  
a Beech 14" " " 173<sup>1/2</sup> " "

80.00 Set a post cor. to Sect. 13, 14, 23 & 24, from which  
a Beech 16 in. dia. bran N 75° E 12 lvs. dist. of  
a Do 9" " " 140<sup>1/2</sup> " "

This mile very broken 3<sup>rd</sup> rate land, timber  
Beech, Oak, Ash &c.

East On R.R. botw. Sec. 13 & 24, W.M. R.R.C. E.

40.00 Set temp. gr. Sec. post

80.50 intersected the N & S. line 57 lvs. S. of post

This mile very hilly land 3<sup>rd</sup> rate, timber oak  
Beech, Hickory &c.

West Corrected between Sec. 13 & 24, W.M. R.R.C. E.

11.00 a Beech 20 in. dia.

40.25 At gr. Sec. post at average dist. from which  
a Beech 16 in. dia. bran N 65° E 15 lvs. dist. of  
a Do 14" " " 155<sup>1/2</sup> " "

80.50 to Sec. Corner

---

North Between Sec. 13 & 14, W.M. R.R.C. E.

*S.W. R. & C. I. Mer., Indiana*

- 22.50 a Beech 24 in. dia.  
 40.00 Set thru q. Sec. post, from which  
     a Beech 4 in. dia. bran 186 E 25 lbs. dist. of  
     a Do 18 " " " 185 W 10 " "  
 62.75 a Brook 15 lbs. wide Course E.  
 63.30 a Walnut 36 in. dia.  
 80.00 Set a post cor. to Sect. 11, 12, 13, & 14, from which  
     a Sugar 6 in. dia. bran East 40 lbs. dist. of  
     a Hickory 12 " " " 146 W 6 " .  
 (Description Omitted)

- East On Land betw. Sect. 12 & 13, W. N. R. & C.*  
 13.00 a Brook 15 lbs. wide Course S.  
 40.00 Set tempy. q. Sec. post  
 81.17 Intersected the E. boundary 160 lbs. N. of post  
 Thix mile hilly 3<sup>rd</sup> rate land, timber Oak, ash,  
 Beech &c.

- West Connected betw. Sect. 12 & 13, W. N. R. & C.*  
 8.96 an Oak 24 in. dia.  
 40.58<sup>1/2</sup> ft. q. Sec. post at average dist. from which  
     a Beech 24 in. dia. bran 131 E 12 lbs. dist. of  
     a Do 4 " " " 110 W 17 " "  
 60.04 an Ash 24 " "  
 81.17 to Sec. Corner.

- North Between Sect. 11 & 12, W. N. R. & C.*  
 4.50 a Brook 8 lbs. wide Course E.  
 29.10 a Beech 18 in. dia.  
 40.00 Set thru q. Sec. post, from which  
     a Beech 10 in. dia. bran 130 W 36 lbs. dist. of  
     a Do 8 " " " 166 E 15 " "  
 50.00 a Brook 15 lbs. wide Course S. E.  
 64.85 a W. Oak 30 in. dia. bran  
 80.00 Set a post cor. to Sect. 11, 12, 13, & 14, from which  
     a Beech 9 in. dia. bran 173 E 31 lbs. dist. of

NO. N. R. 4 E. I. Mer. Indiana

a Red Oak 36 in. dia. brans 179 ft. 25 in. dist. of  
This mile 2<sup>nd</sup> rate, timber Ash, Oak & Beech  
underg. Spruce &c.

East On Plan d. between Sec. 1 of 12, No. N. R. 4 E.  
37.50 a Brook 15 ft. wide Course S. E.

40.00 Set temp. of. Sec. post,

81.32 intersected the E. boundary 48 ft. S. of post  
This mile 2<sup>nd</sup> rate land, Ash, Oak & Beech &c.  
underg. Spruce &c.

West Connected between Sec. 1 of 12, No. N. R. 4 E.

5.00 a Hickory tree 8 in. dia.

40.66 Set q. of. Sec. post at average dist. from which  
a Hickory 5 in. dia. brans 19 ft. 10 in. dist. of  
a Beech 4 " " 16988 "

47.85 on Oak 18 "

81.32 to Section corner.

North Between Sec. 1 of 2, No. N. R. 4 E.

21.66 a Poplar 30 in. dia.

40.00 Set the q. of. Sec. post. from which  
a Beech 30 in. dia. brans 147 ft. 12 in. dist. of  
a Do 10 " " 183 ft. 26 "

68.50 a Stream 25 ft. wide Course East

70.00 a Hackberry tree 14 in. dia.

82.46 intersected the N. boundary 65 ft. E. of post  
Set a post Cor. to Sec. 1 of 2, from which  
a Beech 14 in. dia. brans 133 ft. 25 in. dist. of  
an Ash 24 " " 1130 ft. 16 "  
This mile level & rich, timber Ash, Beech,  
& Poplar &c. underg. Spruce

North Between Sec. 34 of 35, No. N. R. 4 E.

23.40 a Beech tree 18 in. dia. in the line

40.00 Set the q. of. Sec. post. from which

W. N. R. & E. I. Mer. Indiana

a Dogwood 4 in. dia. bran 119 E 26 lbs. dist. of  
a Hickory 30 " " 146 97 27 " .  
60.00 a Hickory tree 30 in. dia.  
80.00 Set a post Cor. to Sec. 9. 26, 27, 34 & 35, from which  
a Hickory 15 in. dia. bran 185 E 36 lbs. dist. of  
an Oak 30 " " 177 97 20 " "  
This mile hilly, timber Oak, Hickory & Beech  
3<sup>rd</sup> rate, underlay. Hickory, Sassafras &c.

East On Rand. between Sec. 9. 26 & 35, H. O. & R. 4 E.  
40.00 Set temp. of. Sec. post  
79.31 Intersected the N. of S. line 78 lbs. N. of post  
This mile very hilly, timber Oak, Beech &c  
Hickory, underlay. Dogwood, greenbrier &c.

West Corrected between Sec. 9. 26 & 35, H. O. & R. 4 E.  
13.00 a P. Oak 30 in. dia.  
39.65 Set of. Sec. post at average dist. from which  
a W. Oak 16 in. dia. bran 169 97 19 lbs. dist. of  
a Do 26 " " 128 E 25 " "  
42.93 a W. Oak 20 " "  
79.31 to Sec. corner.

North Between Sec. 9. 26 & 27, H. O. & R. 4 E  
5.00 a Poplar 24 in. dia.  
40.00 Set the of. Sec. post, from which  
a P. Oak 30 in. dia. bran 165 E 8 lbs. dist. of  
a Hickory 9 " " 158 97 39 " "  
80.00 Set a post Cor. to Sec. 9. 26 & 27, 26 & 27, from which  
a Sassafras 4 in. dia. bran 151 E 4 lbs. dist. of  
an Oak 15 " " 126 97 40 " "  
This mile broken 3<sup>rd</sup> rate, timber Oak,  
Hickory &c. underlay. Sassafras, Hickory &c.

East On Rand. between Sec. 9. 23 & 26, H. O. & R. 4 E.  
40.00 Set temp. of. Sec. post

M. & P. R. R. Co. Mer. Indiana

79.28 Intercepted the N. of S. line 57 lbs. S. of post  
This mile very broken land 3<sup>rd</sup> rate, timber.  
Oak, Hickory &c. undergrowth. Hickory, Oak  
and green briars &c.

West Corrected between Sec. 12, 13, 14, 15, 16, M. & P. R. R. Co.  
8.35 a Hickory 30 in. dia.  
39.64 Set q. Sec. post at average dist. from which  
a W. Oak 15 in. dia. bran \$164 20 lbs. dist. of  
a B. Oak 30 " " North 24 " "

North Between Sec. 12, 13, 14, 15, M. & P. R. R. Co.  
35.00 a Hickory 36 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 8 in. dia. bran \$154 E 4 lbs. dist. of  
a Do 15 " " \$138 21 " "  
61.00 a Brook 12 lbs. wide Course N. E.  
69.00 an Ash 20 in. dia.  
80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 16 in. dia. bran \$16 E 18 lbs. dist. of  
a Do 9 " " \$120 E 16 " "  
This mile 3<sup>rd</sup> rate, timber, Beech, Oak, Hickory &c.

East On Plan J. Between Sec. 14, 23, M. & P. R. R. Co.  
12.00 a Brook 10 lbs. wide Course N. E.  
15.00 a Do 8 lbs. " " North  
40.00 Set temp. q. Sec. post  
80.00 Intercepted the N. of S. line 82 lbs. N. of post  
This mile very hilly 3<sup>rd</sup> rate, timber Oak  
& Hickory &c.

West Corrected between Sec. 14, 23, M. & P. R. R. Co.  
40.00 Set q. Sec. post at average dist. from which  
a Beech 18 in. dia. bran \$143 W 38 lbs. dist. of  
a Poplar 15 " " \$156 8 " "  
80.00 Section corner.

SW. 1/4 E. T. Mer. Indiana

- North Between Sec. 14 & 15, SW. 1/4 E. T.
- 18.50 a Stream 20 ft. wide Course E.  
24.90 a Beech 30 in. dia. in the line  
40.00 Set the of. Sec. post, from which  
a Beech 30 in. dia. bran 174 ft. 37 lbs. dist. of  
a Do 18 " " 166 ft. 12 "  
46.50 an Oak 30 " " in the line  
80.00 Set a post Cor. to Sec. 10, N. 1/4 of 15, from which  
a Hickory 10 in. dia. bran 181 ft. 36 lbs. dist. of  
a Do 9 " " 188 ft. 23 "  
This mile 3<sup>rd</sup> rate Some broken timber Beech  
Hickory & Oak, under Spice & Greenbrier.

- East On Kan. B. between Sec. 14, SW. 1/4 E. T.
- 40.00 Set a post  
79.69 Intersected the N. S. line 137 lbs. S. of post  
This mile 3<sup>rd</sup> rate Some broken timber Beech,  
Oak, Ash &c. under Spice &c.

- West Connected between Sec. 14, SW. 1/4 E. T.
- 10.04 an Oak 14 in. dia. in the line  
39.84 Set of. Sec. post at average dist., from which  
a Beech 9 in. dia. bran 150 ft. 9 lbs. dist. of  
a Do 10 " " 139 ft. 19 "  
40.83 an Oak 48 " in the line  
79.69 to Section Corner

- North Between Sec. 10 & 11, SW. 1/4 E. T.
- 33.23 a Beech 18 in. dia. in the line  
40.00 Set the of. Sec. post, from which  
a Beech 14 in. dia. bran 174 ft. 36 lbs. dist. of  
a Hickory 15 " " 162 ft. 16 "  
50.28 a Hickory 14 " in the line  
71.00 a Stream 50 lbs. wide Course East  
80.00 Set a post Cor. to Sec. 9, 3, 10 & 11, from which  
a Beech 12 in. dia. bran 16 ft. 20 lbs. dist. of

*West R. 4 E. 2<sup>nd</sup> Mer. Indiana*

an Oak 36 in. dia. bran 132 ft 17 lbs. dist.  
This mile level D. rateland, timber Oak,  
Beech & Poplar, underl. Spruce &c.

*East On Land between Sec. 2 of N. West R. 4 E.*

15.00 a stream 60 lbs. wide course East

19.50 a Do 60 lbs. " " S.E.

40.00 A. tumpf. q. Sec. post

80.50 intersected the N. of S. line 40 lbs. N. of post  
This mile level D. ratel, timber Poplar, Oak,  
Beech &c. underl. Spruce &c.

*West Connected between Sec. 2 of N. West R. 4 E.*

5.65 a Beech 20 in. dia. ~~bran~~ with line

40.25 A. t. q. Sec. post at average dist. from which  
an Elm 5 in. dia. bran 18 ft 15 lbs. dist. of  
a Do 10 " " 13 ft 28 "

80.50 to Sec. corner.

*North Between Sec. 2 of 3, 10 N. R. 4 E.*

9.25 a Hickory 24 in. dia. in the line

40.00 A. t. the q. Sec. post. from which

a Wk. Ash 36 in. dia. bran 149 ft 11 lbs. dist. of  
a Beech 9 " " 169 ft 37 "

69.05 an Ash 24 in. dia. in the line

81.80 intersected the N. boundary 198 lbs. N. of post

Set a post cor. to Sec. 2 of 3, from which  
a Beech 10 in. dia. bran 114 ft 14 lbs. dist. of

a W. Oak 24 " " 147 ft 25 "

This mile D. rateland, timber Beech, Oak,  
Poplar &c. underl. Spruce &c.

*North Between Sec. 3 of 3, 10 N. R. 4 E.*

15.00 a W. Oak 36 in. dia. in the line

40.00 A. t. the q. Sec. post. from which

a Gum 30 in. dia. bran 52 ft 8 lbs. dist. of

Stock R.R. E. I. Mer. Indiana

a Sugar 18 in. dia. bears N 68° 9 lbs. dist.  
 56.90 a Ft. Oak 12" " in the line  
 80.00 Set a post Cor. to Sec. L 27, 28, 33 & 34 from  
 which a Dogwood 5 mi. dia. bears S 50° E 30 lbs. dist.  
 a Walnut 18 " " N 20° W 23" "  
 Sand hill 3' rate timber Beech, Oak, Hickory  
 &c. undergrowth Sassafras &c.

East On Random between Sec. L 27 & 34, Stock R.R. E.

40.00 Set temp. g. Sec. post

79.58 Intersected the N. & S. line 50 eks. South of post  
 Sand Hill 3' rate timber Oak Poplar Beech undergrowth  
 Dogwood Sassafras &c.

West Corrected between Sec. L 27 & 34, S 10 W 24 E.

6.77 an Iron 4 in. dia. in the line

39.79 Set g. Sec. post at average dist. from which  
 a Beech 30 in. dia. bears — 38 E 29 eks. dist. &  
 a Do 24 " " — N 8 "

~~53~~ 39.87 a Beech 34 in. dia. in the line  
 79.58 - to Section corner.

North Between Sec. L 27 & 28, Stock R.R. E.

22.00 a Hickory 14 in. dia. in the line

40.00 Set the g. Sec. post, from which  
 a Beech 8 in. dia. bears S 77° W 36 eks. dist. &  
 a Do 20 " " East 19 " "

56.22 a Beech 9 " " in the line

90.00 Set a post Cor. to Sec. L 21, 22, 27 & 28, from which  
 a Hickory 12 in. dia. bears S 13° E 35 eks. dist. &  
 a Beech 16 " " N 32° W 4 " "

Sand Hill 3' rate timber Oak Beech Hickory  
 undergrowth Sassafras Dogwood &c.

East On Random between Sec. L 22 & 27, Stock R.R. E.

40.00 Set temp. g. Sec. post.

80.08 Intersected the N. & S. line 65 eks. N. of post

*Short Rd E. D. Mer. Indiana*

Land hilly 3' rate timber Oak Poplar Beech  
Sugar &c. undergrowth Sassafras Spice

- West Corrected between Sec. 22 & 27, S 10 N. R 4 E.
- 12.80 a Hickory 6 in. dia. in the line
- 40.04 Set qd. Sec. post at average dist. from which  
a Beech 4 in. dia. bears N 58° E 4 cks. dist. of  
a sugar 8 " " " 85 1/122 " "
- 44.72 a sugar 15 " "
- 80.08 to Sec. corner.

- North Between Sec. 31 & 32, S 10 N. R 4 E.
- 11.50 a W. Oak 30 in. dia.
- 40.00 Set the qd. Sec. post, from which  
a Beech 30 in. dia. bears N 84° E 9 cks. dist.  
a dog 4 " " " N 61 1/17 " "

- 62.15 a Sugar 20 " in the line
- 75.50 a stream 25 ft. wide Course S. E.
- 77.00 a Slo 20 " " S. E.
- 80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which  
an Elm 8 in. dia. bears N 55° E 31 cks. dist. of  
a sycamore 24 " " 80 1/14 " "
- Land hilly 3' rate, timber Oak, Beech, Poplar,  
undergrowth Spice &c.

- East On Land betw. Sec. 15 & 22, S 10 N. R 4 E.
- 18.00 a stream 25 ft. wide Course N. E.
- 40.00 Set tempy. qd. Sec. post
- 80.07 Intersected the N & S. line 6 3/4 ft. N. of post  
Land hilly 3' rate, timber Beech, Oak,  
Poplar, underg. Spice, Dogwood &c.

- West Corrected between Sec. 15 & 22, S 10 N. R 4 E.
- 5.93 a sugar 18 in. dia.
- 40.03 1/2 Set qd. Sec. post at average dist. from which  
a Beech 15 in. dia. bears N 79 1/17 ft. dist. of  
a Hickory 15 " " " 79 1/35 " "

510 N. R.R. E. T. Mer. Indiana

45.11 a Hickory 18 in. dia.  
80.07 to Sec. Corner. Sept. 11<sup>th</sup>. 1819

North Between Sec. 15 & 16, 510 N. R.R. Co.

18.80 a sugar 12 in. dia.

40.00 left of Sec. post, from which  
a Beech 15 in. dia. bran. N 78° E 91<sup>1/2</sup> dist. 6  
a Do 15 " " 182 11 17 "

60.81 a Sassafras 15 "

80.00 left of post Co. to 9, 10, 15 & 16, from which  
a Sassafras 6 in. dia. bran. N 55° E 19<sup>1/2</sup> dist. 5  
on Hornwood 4 " " 181 11 10 "  
Land hilly 3<sup>rd</sup> rate, timber Oak, Beech, Hickory,  
etc. underl. thickly. Dogwood &c

East On Land, betw. Sec. 10 & 15, 510 N. R.R. Co.

40.00 left empty of Sec. post

40.50 a stream 20 ltrs. wide course S. E.

80.57 intersected the N. of Sline 8 ltrs. North of post.  
Land hilly 3<sup>rd</sup> rate, timber Oak, Beech, Hickory  
underl. spruce, Dogwood &c.

Post Corrected between Sec. 10 & 15, 510 N. R.R. Co.

4.96 a sugar 18 in. dia.

40.28 left of Sec. post at average dist. from which  
a Beech 6 in. dia. bran. N 44° N. 54<sup>1/2</sup> E dist. 5  
a Poplar 4 " " 145 8 27 "

45.08 a Beech 10 "

80.57 to Sec. corner.

North Between Sec. 9 & 10, 510 N. R.R. Co.

17.24 a W. Oak 12 in. dia.

40.00 left of Sec. post, from which  
a W. Oak 3 in. dia. bran. N 11° E 16<sup>1/2</sup> dist. 5  
a Do 4 " " 117 9 7 2 "

62.09 a Beech 12 "

N.W. Pt. E. S. Mer. Indiana

- 73.44 a stream 25 lhr. wide Course E.  
 80.00 Set a post Cor. to Sect. 3, 4, 9 & 10, from which  
 a Beech 15 in. dia. bran 189 010 lhr. dist. 5  
 a Do 10 " " 143 9725 "  
 Land hilly 3° rate, timber Beech, Oak  
 Poplar, underth. Hickory, Spruce &c

- East On Rand<sup>m</sup>, between Sect. 3 & 10, N.W. Pt. E.
- 48.00 Set a post q. of Sec. post  
 42.50 a swamp  
 47.00 leave the swamp  
 57.80 a stream 25 lhr. wide Course S. E.  
 79.62 intersected the N.W. S. line 64 lhr. S. of post  
 Land level 3° rate, timber Beech, Hickory  
 Oak &c. underth. Spruce &c.

- West Connected between Sect. 3 & 10, N.W. Pt. E.
- 13.34 a Beech 9 in. dia.  
 39.81 Set q. Sec. post at average dist. from which  
 a Beech 13 in. dia. bran 139 033 lhr. dist. 5  
 a Do 10 " " 125 9719 "  
 43.10 a Beech 10 " "  
 79.62 to Sec. corner

- North Between Sect. 3 & 4, N.W. Pt. E.
- 14.59 a Beech 14 in. dia.  
 40.00 Set thogt. Sec. post, from which  
 a Sugar 4 in. dia. bran 131 917 lhr. dist. 5  
 a Do 9 " " 168 014 "  
 61.76 a Beech 14 " "  
 66.86 a stream 15 lhr. wide Course E.  
 82.42 intersected the N.W. boundary 155 lhr. N. of post  
 Set a post cor. to Sect. 3 & 4, from which  
 a Beech 10 in. dia. bran 171 822 lhr. dist. 5  
 a Do 14 " " 134 9727 "  
 Land level 2° rate, timber Oak, Beech, Sugar,

W. N. R. & C. Co., Mer. Indiana

Poplar, under <sup>the</sup> Spice Sassafras &c.

North Between Sec. 1, 32, 33, T. 10 N. R. 4 E.  
19.73 a W. Oak 24 in. dia.  
40.00 Let the of. Sec. post, from which  
an Ash 15 in. dia. bran \$75 W 12 lbs. dist.  
an Oak 6 " " " N 77 W 10 " "  
63.25 a Stream 20 lbs. wide Course S. pr.  
74.42 a Maple 10 in. dia.  
80.00 Let a post Cor. to Sec. 1, 28, 29, 32, 33, from which  
a Beech 18 in. dia. bran \$12 W 25 lbs. dist.  
a \_\_\_\_\_ 12 " " " N 19 W 35 " "  
Sand hill 3<sup>rd</sup> rate, timber Oak, Hickory  
Beech, under <sup>the</sup> Sassafras, Brown. Hdg. &c.

East On Rand. btrs. Sec. 28, 33, T. 10 N. R. 4 E.  
40.00 Let tempy. of. Sec. post  
80.85 Intersected the W. S. line 120 lbs. S. of post  
Sand hill 3<sup>rd</sup> rate timber Oak, Hickory &  
Beech, under <sup>the</sup> Sassafras, Brown. Hdg. &c.

West Corracted between Sec. 1, 28, 33, T. 10 N. R. 4 E.  
10.62 a Piggy 20 in. dia in the line  
40.47 Let the of. Sec. post at average dist. from which  
an Elm 6 in. dia. bran \$17 819 lbs. dist.  
a Beech 15 " " " N 74 W 19 " "  
49.47 a W. Oak 12 " "  
80.85 to Section Corner.

North Between Sec. 1, 28, 29, T. 10 N. R. 4 E.  
20.67 a P. Oak 5 in. dia.  
40.00 Let the of. Sec. post, from which  
a Beech 9 in. dia. bran \$78 W 30 lbs. dist.  
a Do 12 " " " 162 E 13 " "  
57.50 a W. Oak 26 " "  
80.00 Let a post cor. to Sec. 20, 21, 28, 29, from which  
a Beech 18 in. dia. bran \$45 W 30 lbs. dist.

North R.R. Co., Ind., Indiana

a Beech 10 in. dia. bran. N 72 E 19 deg. dist.  
Land hilly 3<sup>rd</sup> rate, Beech, Oak, Sugar,  
and Dogwood, Ironwood, & Sassafras.

Cast On Land, below Sec. 21 & 28, N 10 N. R.R. Co.

- 40.00 Set tempy. of Sec. post  
81.22 Intersected the N. & S. line 91 chs. south of post  
Land hilly 3<sup>rd</sup> rate timber Beech Oak Hickory  
undergrowth Dog. ff.

West 9.47 40.61	Corrected between Sec. 21 & 28, S 10 N. R.R. Co. a Gum 16 in. dia. Set of Sec. post at average dist. from which
	a Beech 13 in. dia. bears S 35 W 7 chs. dist. ff.
	a Do 20 " " N 4 W 46 " "
44.53	a Gum 18 " "
81.22	to Section Corner

North Between Sec. 20 & 21, S 10 N. R.R. Co.

- 22.26 a Gum 20 in. dia.  
40.00 Set the of. Sec. post from which  
a Dogwood 6 in. dia. bears S 75 E 15 chs. dist. ff.  
a Beech 10 " " S 76 E 18 " "  
66.26 a sugar 14 " "  
80.00 Set a post cor. to Sec. 16, 17, 20 & 21, from which  
an Ironwood 4 in. dia. bears S 45 E 34 chs. dist. ff.  
a Beech 20 " " S 48 W 15 " "  
Land hilly 3<sup>rd</sup> rate timber Oak Hickory Beech  
undergrowth Dogwood Sassafras etc. Sept. 15<sup>th</sup> 1819

East On Random between Sec. 16 & 21, S 10 N. R.R. Co.

- 65.00 a stream 20 chs. wide Course N. E.  
68.50 a Do " " " S. E.  
76.00 a Do " " " N. E.  
80.40 Intersected the N. & S. line 41 chs. S. of post  
Land level 3<sup>rd</sup> rate timber Beech Sugar Oak etc.  
undergrowth Spice ff.

# W.M. C. & E. I. Mer. Indiana

West Corrected between Sec. 16 & 21, S 10 N. R 4 E.

4. 08 an Elm 6 in. dia.

40. 20 Set qf. Sec. post at average dist. from which  
a Beech 12 in. dia. bears S 54° W 17' ebs. dist. of  
a Dog. P. 4 " " " N 23° E 29" "

45. 00 a Gum 12 " "

90. 40 to Section Corner

North Between Sec. 16 & 17, S 10 N. R 4 E.

25. 70 a Poplar 18 in. dia.

40. 00 Set the qf. Sec. post, from which  
a Poplar 18 in. dia. bears N 61° E 14' ebs. dist. of  
a Hickory 20 " " " N 81° W 18" "

66. 33 Alderwood 9 " "

80. 00 Set a post corner to Sec. 8, 9 & 16 & 17, from which  
a W. Oak 20 in. dia. bears N 53° E 20' ebs. dist. of  
a No 30 " " " S 6 E 14" "  
Sand Hilly 3. rate timber Oak Hickory poplar  
undergrowth Dog. Hickory etc.

East On Random Between Sec. 9 & 16, S 10 N. R 4 E.

40. 00 Set tempy. qf. Sec. post

80. 37 Intersected the N. & S. line at the post.  
Land timber etc. as on the last Mile

West Corrected between Sec. 9 & 16, S 10 N. R 4 E.

20. 12 a Hickory 5 in. dia.

40. 18 Set qf. Sec. post at average dist. from which  
a Beech 15 in. dia. bears N 54° W 16' ebs. dist. of  
a No 16 " " " S 53° E 56" "

49. 82 a Hickory 20 " "

80. 37 To Section Corner

North Between Sec. 8 & 9, S 10 N. R 4 E.

25. 14 a Hickory 12 in. dia.

40. 00 Set the qf. Sec. post, from which

24

*Mo. N R.R. E. I. Mer. Indiana*

	a sugar — in dia: bears S 25 E 25 lks. dist. ft
	a Do 8 " " N 18 E 13 " "
55.33	a stream 10 lks. wide Course East
72.57	an Oak 24 in dia: in the line
80.00	Set a post Corner to Sec. 4 <sup>th</sup> . 8 <sup>th</sup> . from which a Dogwood 6 in. dia: bears N 17 E 12 lks. dist. ft
	a Oak 3 " " N 85 W 44 " "
	Land Hilly timber Oak Hickory Beech undergr. W. Oak - Hickory

East	On Random between Sec. 4 <sup>th</sup> . 8 <sup>th</sup> . N. R. 4 E.
40.00	Set temp <sup>ry</sup> . of. Sec. post.
80.15	Intersected the N. & S. line 25 ft. N. of post Land of timber sc. as on the last mile

West	Corrected between Sec. 4 <sup>th</sup> . 8 <sup>th</sup> . N. R. 4 E.
2.72	an Ash 36 in. dia: in the line
40.07	Set of. Sec. post at average dist. from which a Beech 10 in. dia: bears S 64 E 19 lks. dist. ft
	a Do 10 " " N 7 W 13 " "
44.64	a poplar 18 " " in the line
80.15	to Section Corner

Sept. 16<sup>th</sup>, 1819

North	Between Sec. 4 <sup>th</sup> . 8 <sup>th</sup> . N. R. 4 E.
17.10	a poplar 36 in dia: in the line
40.00	Set the of. Sec. post. from which a R. Oak 36 in dia: bears S 59 E 23 lks. dist. ft
	a Beech 10 " " N 83 W 30 " "
64.81	a W. Oak 20 " " in the line
74.06	Intersected the N. boundary 57 lks. W. of post. Set a post Cor. to Sec. 4 <sup>th</sup> . 5 <sup>th</sup> . from which a sugar 4 in dia: bears N 77 W 10 lks. dist. ft
	a Do 12 " " N 63 E 57 .. "
	Land Hilly 3 <sup>rd</sup> rate timber Beech Ash Poplar sc. undergrowth Spice sc.

Cont'd.

# Short R.R. Co. I. Mer. Indiana

**North** Between Sect. 31 & 32, S 10 N. R 4 E.

40.00 Set the qf. Sec. post, from which  
a B. Oak 12 in. dia. bears S 88° E 25 chs. dist. 8  
a W. Oak 4 " " " N 68° W 10 " "  
71.64 a W. Oak 20 " " in the line

80.00 Set a post cor. to Sect. 29, 30, 31 & 32, from which  
a Ironwood 5 in. dia. bears S 70° E 3 chs. dist. 8  
a Beech 9 " " " S 53° W 18 " "  
This mile broken 3<sup>d</sup> rate timber Oak Hickory  
fe. undergrowth Sassafras fc.

**East** On Random between Sect. 29 & 32, S 10 N. R 4 E.

40.00 Let tempqf. qf. Sec. post

79.00 Intersected the N. & S. line 45 chs. S. of post.  
This mile hilly 3<sup>d</sup> rate timber Oak Beech &  
Hickory undergrowth Sassafras fc.

**West** Corrected between Sect. 29 & 32, S 10 N. R 4 E.

2.31 a Beech 14 in dia. in the line

39.50 Set qf. Sec. post at average dist. from which  
an Oak 34 in. dia. bears S 24° W. 5 chs. dist. 8  
a Beech 4 " " " N 22° W 13 " "  
79.00 To Section Corner

**West** Between Sect. 30 & 31, S 10 N. R 4 E.

13.90 a B. Oak 36 in dia. in the line

40.00 Set the qf. Sec. post, from which  
a Dogwood 10 in. dia. bears S 11° W 26. chs. dist. 8  
a " 5 " " " N 34° W 29 " "  
46.15 an Oak 36 " " in the line

72.56 Intersected the N. boundary 116 chs. S. of post  
Set a post cor. to Sect. 30 & 31, from which  
a B. Oak 18 in. dia. bears S 15° W 23 chs. dist. 8  
a Dogwood 3 " " " N 65° E 5 " "  
This mile broken 3<sup>d</sup> rate land timber Oak fe.

Sect. R.R.C. T. Mer. Indiana

North Between Sect. 29 & 30, T. 10 N. R.R. C.  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 30 in. dia. bray \$43.86 lbs. dist. of  
     a P. Oak 4 "     "     \$67.97 lbs. "  
 44.40 a P. Oak 30 "     "  
 80.00 Set a post Cor. to Sect. 19, 20, 29 & 30, T. 10 N. R.R. C.  
     a P. Oak 20 in. dia. bray \$31.82 lbs. dist. of  
     a W. Oak 9 "     "     \$67.97 lbs. "  
 This mile broken 3<sup>rd</sup> rate timber Oak, of various  
 sorts, Sassafras & Hickory, underg. &c.

---

East On Rand. between Sect. 20 & 29, T. 10 N. R.R. C.  
 40.00 Set temporary q. Sec. post  
 78.00 Intersected the E. boundary at post  
 This mile broken 3<sup>rd</sup> rate timber Beech, Oak,  
 Hickory, underg. hickory & Sassafras &c.

---

West Corrected between Sect. 20 & 29, T. 10 N. R.R. C.  
 39.00 Set q. Sec. post at average dist. from which  
     a Chest. Oak 11 in. dia. bears \$57.97 lbs. dist. of  
     a Dlo 18 "     "     \$10.67 "     "  
 78.00 to Sec. corner.

---

West Between Sect. 19 & 30, T. 10 N. R.R. C.  
 25.40 an Oak 39 in dia.  
 35.00 a Brook 12 lbs. wide course S. W.  
 40.00 Set the q. Sec. post. from which  
     a W. Oak 5 in. dia. bears \$20.47 lbs. dist. of  
     a Dlo 15 "     "     \$28.47 "     "  
 73.50 Intersected the W. boundary 128 ft. S. of post  
 Set a post Cor. to Sect. 19 & 30, from which  
     a W. Oak 14 in. dia. bears \$25.635 lbs. dist. of  
     a Dlo 18 "     "     \$36.47 lbs. "  
 This mile broken 3<sup>rd</sup> rate timber Oak, Hickory &c.  
 undergrowth Sassafras &c.

---

*W. N. P. & Q. D. Mer. Indiana*

- North Between Sec. 19 & 20, S 10 N, T 12 E.
- 25.00 a Sugar 30 in. dia.
- 40.00 Set the qf. Sec. post, from which  
a Hickory 6 in. dia' bears S 65 E 6 ects. dist. &  
a Dogwood 4 " " " S 51 W 5 " "
- 66.25 a Beech 18 " "
- 80.00 Set a post Cov. To Sec. 17, 18, 19 & 20, from which  
a Hickory 4 in. dia'. bears S 69 E 4 ects. dist. &  
a W. Oak 5 " " " N 86 W 16 " "  
This mile hilly 3<sup>d</sup>. rate timber Oak Hickory  
Beech &c undergrowth Hickory &c.

- East On Random between Sec. 17 & 20, S 10 N, T 12 E.
- 40.00 Set temporary qf. Sec. post
- 79.07 Intersected the N. & S. line 6 ects. S. of post  
This mile broken 3<sup>d</sup>. rate Sand timber Oak  
Beech Hickory

- West Corrected between Sec. 17 & 20 S 10 N, T 12 E.
- 7.31 a Beech 20 in. dia'.
- 39.53 Set qf. Sec. post at average dist. from which  
a Beech 9 in. dia. bears S 39 E 14 ects. dist. &  
a sugar 14 " " " N 19 W 33 " "
- 79.07 to Section Corner

- West Between Sec. 18 & 19, S 10 N, T 12 E.
- 5.70 a Poplar 30 in. dia'.
- 15.50 a Brook 10 ects. wide Course S.
- 40.00 Set the qf. Sec. post, from which  
a sugar 14 in. dia. bears N 61 E 15 ects. dist. &  
a sassafras 4 " " " S 54 W 5 " "
- 49.50 a B. Oak 24 " "
- 73.72 Intersected the W. boundary 1.59 ects. S. of post  
Set a post Cov. to Sec. 18 & 19, from which  
an Oak 30 in. dia. bear N 64 W 37 ects. dist. &  
a Beech 20 " " " N 40 E 7 " "  
This mile hilly 3<sup>d</sup>. rate - timber Oak Beech &c.

10 N. R. & E. I. Mer. Indiana

Hickory & Sassafras undergrowth &c.

North Between Sec. 17 & 18, S 10 N. R. 4 E.

40.00 Set the q<sup>t</sup>. Sec. post, from which  
a Sun 20 in. dia. bears N 31 E 26 chs. dist. of  
a Hick. 16 " " S 76 W 11 " "

49.75 on Oak 27 " "

50.00 Set a post Cor. to Sec. 7. 8. 17 & 18, from which  
a Sugar 24 in dia. bears S 17 W 44 chs. dist. of  
an Ash 20 " " N 75 E 35 " "

This mile hilly 3<sup>r</sup> rate timber Beech Oak Hickory  
undergrowth Hickory & Sassafras &c

East On Random between Sec. 8 & 17, S 10 N. R. 4 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

79.00 Intersected the N & S. line at the post.

This mile hilly poor Land timber Oak Hickory  
undergrowth Hickory & Sassafras -

West Corrected between Sec. 8 & 17. S 10 N. R. 4 E.

39.50 Set q<sup>t</sup>. Sec. post at average dist. from which  
an Oak 14 in. dia. bears N 25 W 16 chs. dist. of  
a B. Oak 4 " " S 43 W 11 " "

79.00 to Section Corner

West Between Sec. 7 & 18, S 10 N. R. 4 E.

30.50 a Poplar 20 in. dia.

40.00 Set the q<sup>t</sup>. Sec. post, from which  
a Poplar 7 in. dia. bears N 50 E 17 chs. dist. of  
a Beech 30 " " S 79 E 28 " "

75.07 Intersected the W. boundary 24 chs. S. of post  
Set a post. Cor. to Sec. 7 & 18, from which  
a B. Oak 30 in. dia. bears N 30 W 21 chs. dist. of  
a Beech " " S 48 W 29 " "

This mile very hilly 3<sup>r</sup> rate timber Oak Hickory  
undergrowth &c.

Mon. P.L. & E. D.<sup>n</sup> Mer. Indiana

North Between Sect. 7 & 8, S 10 N, R 4 E.

11.08 a B. Oak 36 in. dia.

40.00 Set the qf. Sec. post, from which  
a Poplar 5 in. dia. bears S 72° 42' eke. dist. ff  
a Do 4 " " " S 68° 15 " "

54.50 a Poplar 36 " "

80.00 Set a post Corner to Sect. 5, 6, 7, 8, from which  
a Hickory 4 in. dia. bears N 68° 20' eke. dist. ff  
a Poplar 5 " " " S 45° 14 " "  
This Mill broken 3<sup>o</sup> rate Land Lumber. Oak  
Poplar & Beech, undergrowth Hickey & Dog. Hick.

---

East On Random between Sect. 5 & 8, S 10 N, R 4 E.

48.00 a Brook & eke. wide Course S. E.

40.00 Set Temp<sup>ry</sup> qf. Sec. post

78.53 Intersected the N. & S. line 64 eke. S. of post  
Land Hilly 3<sup>o</sup> rate - timber Oak, Hick & Beech  
undergrowth Brush Hickey & Sassafras. 4e.

---

West Corrected between Sect. 5 & 8, S 10 N, R 4 E.

3.00 an Oak 15 in. dia.

39.16 Set qf. Sec. post at average dist. from which  
a Hickory 4 in. dia. bears S 3° 16' eke. dist. ff  
a Beech 20 " " " N 34° 44' 18 " "

78.53 To Section Corner

---

West Between Sect. 6 & 7, S 10 N, R 4 E.

22.50 a Hickory 30 in dia.

40.00 Set the qf. Sec. post, from which  
an Ash 20 in. dia. bears N 25° 43' eke. dist. ff  
a Beech 9 " " " S 14° 47' 19 " "

42.65 a Poplar 48 " "

72.83 Intersected the West boundary 3.50 eke. S. of post  
Set a post Cor. to Sect. 6 & 7, from which  
a Beech 14 in. dia. bears N 29° 47.2' eke. dist. ff  
a Poplar 6 " " " S 72° 21 " "

North Plat E. D. Mer. Indiana

This mile some hilly timber Oak Hickory  
Poplar &c. Spice undergrowth &c.

- North Between Sec. 5 & 6, S 10 N. R 4 E.  
8.80 a B. Oak 30 in. dia.  
25.00 at Brook & che. wide course S. E.  
40.00 Set the of. Sec. post, from which  
a Poplar 8 in. dia. bears N 34° W 5 lbs. dist. &  
adassafnas 6 " " " \$ 70 W 5 " "  
69.90 a Sugar 18 " " "  
85.42 Intersected the North boundary 2.58 E. of post  
Set a post Cor. to Sec. 5 & 6, from which  
a Beech 4 in. dia. bears S 36° E 7 lbs. dist. &  
a Sugar 9 " " " N 10 E 22 ..  
This mile hilly 3<sup>d</sup>. rate timber Beech Oak. &c.  
Surveyed by Abraham Lee, L. S.

Contd.

I certify that the foregoing transcript of field notes of  
Township N. 10 N. Range N. 4 E. D. Mer. Indiana, has  
been compared with the original notes in this office &  
found to be correct.

Surveyor General's Office  
Cincinnati, July 28, 1841 / 3

Q. P. Peirce

Sur. Gen.